ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE REGULATORY CONTACT RECORD

Dyan Foss	
7577	
ct: James Hindman	
303-692-3345	
CDPHE	
2	7577 t: James Hindman 303-692-3345

Discussion

James indicated that he had looked at the redlined version of the 371 DOP and discussed the 371 DOP with Steve Tarlton, and although the DOP looks good, some modification will need to be made before CDPHE approval. The following summarizes the issues:

- The set table was modified, which will require some minor modifications throughout the DOP for consistency.
- Regarding CDPHE Comment 25, the DOP needs to include how the UBC will be characterized and how the UBC characterization will be integrated with decommissioning activities.
- Regarding CDPHE Comment 30, Section 4.5.6 needs to be modified by removing the text
 that indicates that the building will be dropped in place and backfilled. Instead a reference to
 the Facility Disposition RSOP should be made for demolition of the building and text can be
 included referencing another alternative, which will be studied further and if appropriate the
 DOP will modified to include the alternative after the evaluation or another RFCA decision
 document will be prepared.
- Regarding CDPHE Comment 34, the DOP will not satisfy the RSOP notification requirements. CDPHE would expect to have detailed planning information with notification, and feels that the DOP is insufficient because staging and sequencing of decommissioning sets and areas has not been planned.

Contact Record Prepared By: Dyan Foss		
Required Distribution: F. Gerdeman, RFFO	Additional Distribution:	1891011121
J. Stevens, K-H 771 371 DOP Administrative Record File		45 WAR

Contact Record 4/10/00 Rev. 10/11/00

DOCUMENT CLASSIFICATION

REVIEW WAIVER PER

CLASSIFICATION OFFICE CEX-05-01

Page 1 of 1



B371-A-000027